



Tablerunner is 12" x 58". Fabric Requirements

| Center Squares | | 11625 22 | 1 Fat Quarter* | |
|---------------------------|------------|--------------------|----------------|--|
| Small Squares (A) | | 11626 14 | 1 Fat Quarter | |
| Small Squares (B) | | 11626 17 | 1 Fat Quarter | |
| Appliqué, bias binding | | 11625 12 | ²∕3 yard | |
| Background | | 11623 11 | ½ yard | |
| Backing | 11⁄8 yards | | | |
| Muslin | ½ yard | foundation piecing | | |
| *Fat Quarter=18" x 22" | | | | |

Fabric Cutting

Center Squares: 3-6¹/₂" squares Small Squares (A): 8-3¹/₂" squares Small Squares (B): 4-3¹/₂" squares Appliqué and bias binding: 12-appliqués using template 3

2¹/₂" bias strips to total 150". Sew end to end to make the binding.

Background: 1-6½" x width of fabric strip From the strip, cut 2-6½" squares and 8-6½" x 3½" rectangles

moda

M O D A F A B R I C S . C O M Web11620 — Suggested Retail \$6.00



Construction

Use $1\!\!/\!\!/4''$ seams and press in the direction of the arrows.

- (A) Join $3\frac{1}{2}$ " small squaresz A and B. Make 4. $3\frac{1}{2}$ " $\rightarrow 3\frac{1}{2}$ " A B Corner Pair Make 4.
 - (B) Arrange and sew 2-3¹/₂" block corner A's, 3-6¹/₂" x 3¹/₂" backgrounds, and 2 corner pairs as shown to make a row. Make 2.

| 3½" 6½" x 3½" | 6½" x 3½" | 6½" x 3½" 3½" | | | |
|---------------|-----------|---------------|--|--|--|
| A ← → | ← → | < → A | | | |
| Make 2. | | | | | |

 (C) Arrange and sew 2-6¹/₂" x 3¹/₂" backgrounds, 3-6¹/₂" center squares, and 2-6¹/₂" background squares as shown to make a row. Make 1.





(D) Join the rows as shown.



(E) Use your appliqué method of choice to add the appliqués to the tablerunner.



361/2" x 121/2" unfinished

- 2
- (A) The end pieces are foundation pieced.
 From the muslin, cut 2 templates. Cut 12 to 14 random print strip widths, making sure they are at least 12¹/₂" long.
- B) Place your first piece on the foundation right side up as shown. Stitch in place. Line up the next fabric strip, checking that it is long enough to cover the foundation from edge to edge. Align it with the sewn edge of the first strip, right sides together as shown. Machine stitch as shown ¼" from edge. Press the strip open. Continue adding strips with the foundation covered until covered. Trim the strips even to the foundation. Make 2.
- C) Add the foundation-pieced units at the ends of the tablerunner. Layer, quilt and bind.



